

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	((display or screen or monitor or (electronic adj sign)) same offset same calibrat\$5) and (camera or ccd or (imag\$5 adj device))).clm.	US-PGPUB	OR	ON	2006/08/17 14:39

*INTERFERENCE SEARCH*

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((display or screen or monitor or (electronic adj sign)) same offset same calibrat\$5) and (camera or ccd or (imag\$5 adj device))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 14:38
L2	3	((display or screen or monitor or (electronic adj sign)) same offset same calibrat\$5) and (camera or ccd or (imag\$5 adj device))).clm.	US-PGPUB	OR	ON	2006/08/17 14:39
L3	0	2 and (@ad<="20010424")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:39
S1	1161	345/589,590,748,749.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 17:21
S2	16394	display same calibrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 17:23
S3	69965	display same camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 17:24
S5	0	display same camera same computer same luminance same algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 17:25
S6	0	display same camera same computer same luminance same (algorithm or equation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 17:26
S7	861368	display same camera same computer same luminance same c(orrect or adjust)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:45

## EAST Search History

S8	17	display same camera same computer same luminance same adjust\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 17:28
S9	28	display same camera same computer same luminance same (correct\$4 or adjust\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 17:28
S10	79	display same calibrat\$5 same (sign or signage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 16:33
S11	13	display same calibrat\$5 same (sign or signage) and (camera or camcorder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 21:53
S12	0	projector same pixel\$2 same color and RGB and lense and (camera or camcorder) and CCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 21:57
S13	169	projector same pixel\$2 same color same RGB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 21:58
S14	0	projector same array same pixel\$2 same LCD same color same RGB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 21:59
S15	4	projector same array same pixel\$2 same color same RGB and LCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 22:01
S16	57	(projector same color) and (array same pixel\$2 same RGB and LCD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/02 22:02
S17	3833	display same calibrat\$5 same (sign or signage or monitor or screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:52

## EAST Search History

S18	35	S17 and (mean same variance) and (minimum same maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 10:35
S19	186	photometer and CCD and filter and pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:04
S20	154	photometer and CCD and filter and pixel\$2 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:05
S21	53	photometer and CCD and filter and pixel\$2 and camera and RGB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:05
S22	35	photometer and CCD and filter and pixel\$2 and camera and RGB and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:44
S23	12	(photometer same camera )and CCD and filter and pixel\$2 and RGB and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:31
S27	0	photometer same CCD same filter same pixel\$2 and camera and RGB and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:45
S28	3	photometer same CCD same filter same pixel\$2 same sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:45
S29	0	photometer same CCD same filter same pixel\$2 same sensor same RGB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 18:45
S30	3831	display same (low adj resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:50

## EAST Search History

S31	612	display same (low adj resolution) and color and RGB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:51
S32	29	display same (low adj resolution) and (color same RGB same average)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:00
S33	247	345/3.1-3.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:00
S34	585	382/317,318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:01
S35	832	S33 or S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:01
S36	22	S35 and (set\$5 adj3 resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:02
S37	14	S35 and (set\$5 adj3 resolution) and pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:11
S38	0	S35 and (set\$5 adj3 resolution) and (pixel\$2 same average) and RGB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:03
S39	0	S35 and (set\$5 adj3 resolution) and (pixel\$2) and (average same RGB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:04
S40	4	S35 and (set\$5 adj3 resolution) and pixel\$2 and RGB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:05

## EAST Search History

S41	0	S35 and (set\$5 adj3 resolution) and pixel\$2 and RGB and average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:04
S42	2	S35 and (set\$5 adj3 resolution) and (pixel\$2 same LCD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:13
S43	1	S35 and (set\$5 adj3 resolution) same LCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:16
S44	353	345/698.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:18
S45	0	S44 and resolution and "756" and "581"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:19
S46	0	S44 and "756" and "581"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:20
S47	133135	S44 resolution same (reduc\$8 or higher or lower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:21
S49	353	345/698.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:28
S50	125	S49 and resolution same (reduc\$8 or higher or lower) same pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:29
S51	11	S49 and resolution same (reduc\$8 or higher or lower) same (pixel\$2 same average)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:32

## EAST Search History

S52	1	Duc adj2 dinh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:33
S53	144	duc near dinh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:33
S54	41	S53 and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:08
S55	95	PDA and (LCD same pixel same resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:10
S56	50	PDA and (LCD) same (pixel adj2 resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:14
S57	6	PDA and (LCD) same (pixel adj2 resolution) and (RGB or color) same average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:18
S58	2	laptop and (LCD) same (pixel adj2 resolution) and (RGB or color) same average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:19
S59	12	(LCD) same (pixel adj2 resolution) and (RGB or color) same average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:29
S60	4	(LCD) and (pixel adj2 resolution) same (RGB or color) same average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:30
S61	388	345/698.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 16:55



## EAST Search History

S62	234	S61 and resolution same (reduc\$8 or higher or lower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 16:55
S63	141	display same camera same computer same luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 16:55
S64	9	calibrat\$5 same (sign or signage or monitor or screen or display) and (camera same CCD same (color or RGB or monochrom\$5) same uniform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 16:46
S65	2	"6052100".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:09
S66	106	(display or screen or monitor) same (offset adj calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 11:14
S67	4	(display or screen or monitor) same (offset adj calibrat\$5) same (camera or ccd or (imag\$5 adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:50
S68	4	(display or screen or monitor) same (offset adj calibrat\$5) same (camera or ccd or (imag\$5 adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:31
S69	2	S68 and (@ad<="20010424")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:32
S70	4	(display or screen or monitor or (electronic adj sign)) same (offset adj calibrat\$5) same (camera or ccd or (imag\$5 adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:32
S71	5	(display or screen or monitor or (electronic adj sign)) same (offset adj calibrat\$5) same (camera or ccd or (imag\$5 adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 16:34



## EAST Search History

S72	3	S71 and (@ad<="20010424")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:35
S73	9	(display or screen or monitor or (electronic adj sign)) same (offset adj calibrat\$5) and (camera or ccd or (imag\$5 adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 14:37
S74	5	S73 and (@ad<="20010424")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:39